THE ADVANTAGE TESTING FOUNDATION MATH PRIZE FOR GIRLS OLYMPIAD THURSDAY, NOVEMBER 16, 2017 TIME LIMIT: 4 HOURS

1. Given positive integers n and k, say that n is k-solvable if there are positive integers a_1, a_2, \ldots, a_k (not necessarily distinct) such that

$$\frac{1}{a_1} + \frac{1}{a_2} + \dots + \frac{1}{a_k} = 1$$

and

$$a_1 + a_2 + \dots + a_k = n.$$

Prove that if n is k-solvable, then 42n + 12 is (k + 3)-solvable.

2. Let *n* be a positive integer. Prove that there exist polynomials *P* and *Q* with real coefficients such that for every real number *x*, we have $P(x) \ge 0, Q(x) \ge 0$, and

$$1 - x^{n} = (1 - x)P(x) + (1 + x)Q(x).$$

- **3.** Let ABCD be a cyclic quadrilateral such that $\angle BAD \leq \angle ADC$. Prove that $AC + CD \leq AB + BD$.
- 4. A *lattice point* is a point in the plane whose two coordinates are both integers. A *lattice line* is a line in the plane that contains at least two lattice points. Is it possible to color every lattice point red or blue such that every lattice line contains exactly 2017 red lattice points? Prove that your answer is correct.